

WEEKLY SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN
WEEK ENDING 28 SEPTEMBER 1946

(C) Current cases, plus delayed reports
(T) Total cases for year to date.
(T)*Total cases from 2 June 1946.

PREFECTURE	DIPHTHERIA		DYSENTERY		EPIDEMIC MENINGITIS		PARATYPHOID		SCARLET FEVER	
	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)
HOKKAIDO	98	2616	291	1507	1	202	28	705	14	272
AOMORI	15	607	162	465	1	59	1	135	1	14
IWATE	34	561	874	4707	-	41	7	101	-	6
MIYAGI	18	710	318	2936	2	64	6	227	-	41
AKITA	20	690	264	1534	-	22	-	35	3	33
YAMAGATA	32	893	491	3333	-	40	8	346	2	25
FUKUSHIMA	47	932	318	6744	1	58	8	258	4	48
IBARAKI	17	367	44	2712	-	29	5	185	2	18
TOCHIGI	13	683	66	2331	-	11	2	248	-	13
GUMMA	2	201	34	3347	-	19	1	93	-	34
SAITAMA	18	731	37	1892	-	10	2	160	1	48
CHIBA	14	690	30	1066	-	24	6	126	1	76
TOKYO	37	1742	67	1619	2	114	16	543	13	264
KANAGAWA	12	844	13	1473	-	32	3	252	5	59
NIIGATA	22	1020	238	2067	-	23	11	271	-	17
TOYAMA	16	359	13	300	-	3	1	87	-	2
ISHIKAWA	25	739	15	143	-	-	1	55	-	4
FUKUI	14	279	40	246	-	2	1	44	-	1
YAMANASHI	8	141	35	1207	-	20	2	79	-	7
NAGANO	16	564	24	1961	-	9	10	282	-	58
GIFU	3	377	55	842	-	10	-	149	1	10
SHIZUOKA	15	1039	62	2618	-	31	2	380	-	51
AICHI	27	1465	33	1687	-	10	3	195	2	51
MIE	20	930	12	385	-	21	1	116	-	9
SHIGA	7	490	38	318	-	9	-	25	-	28
KYOTO	9	802	41	825	-	39	-	151	2	89
OSAKA	9	852	41	712	-	35	2	149	-	42
HYOGO	22	1268	107	1246	-	19	3	224	1	36
WAKAYAMA	10	362	19	213	-	1	5	51	-	8
WAKAYAMA	6	478	-	282	-	1	-	76	-	15
TOTTORI	6	306	20	610	1	10	1	64	-	7
SHIMANE	25	645	54	624	-	6	1	119	-	5
OKAYAMA	16	768	74	889	-	5	1	32	-	22
HIROSHIMA	15	976	23	1303	-	17	4	198	-	12
YAMAGUCHI	58	1542	46	970	-	29	1	73	2	23
TOKUSHIMA	21	508	32	1262	-	15	-	44	-	7
KAGAWA	12	701	53	1769	-	8	10	160	-	16
EHIME	33	888	41	1722	-	5	-	51	-	15
KOCHI	25	1076	31	1114	-	6	5	46	-	22
FUKUOKA	66	2185	53	2058	-	78	7	271	1	31
SAGA	26	660	8	1120	-	11	2	109	-	2
NAGASAKI	15	755	7	1665	-	35	3	150	1	11
KUMAMOTO	3	289	14	1845	-	13	-	36	-	-
OITA	29	776	32	938	-	4	2	43	-	2
MIYAZAKI	13	564	12	2018	1	18	2	98	1	9
KAGOSHIMA	10	586	4	1255	2	19	1	44	-	3
TOTALS	979	36642	4286	71479	11	1237	175	7286	57	1566
RATE**		69.61		304.73		0.78		12.44		4.05

(OVER)

C ontinued

PREFECTURE	SMALLPOX		TYPHOID		EPIDEMIC TYPHUS		MALARIA		JAP. B ENCEPH- ALITIS		CHOLERA	
	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)*	(C)	(T)
HOKKAIDO	-	2302	101	2031	6	2422	16	776	-	-	-	-
AOMORI	-	75	11	651	-	845	8	310	-	-	-	-
IWATE	-	49	23	535	-	120	8	430	-	3	-	-
MIYAGI	-	112	24	766	-	464	1	184	-	9	-	-
AKITA	-	65	13	378	-	217	7	608	-	3	-	-
YAMAGATA	-	113	16	736	-	529	2	403	-	1	-	-
FUKUSHIMA	-	230	43	1708	-	284	4	166	-	9	-	6
IBARAKI	-	171	25	862	1	274	39	610	-	8	-	-
TOCHIGI	-	74	26	1334	-	139	2	197	-	2	-	-
GUMMA	-	91	9	640	-	107	-	65	-	-	-	-
SAITAMA	-	206	20	1086	-	702	2	85	-	2	-	1
CHIBA	-	216	26	1104	-	334	6	203	-	1	-	33
TOKYO	-	1819	54	1880	2	9497	41	1271	-	7	-	12
KANAGAWA	-	426	22	1395	-	876	15	383	-	3	-	29
NIIGATA	-	132	34	1187	1	111	7	343	-	1	-	26
TOYAMA	1	179	18	757	-	39	7	158	-	2	-	77
ISHIKAWA	-	115	8	263	-	78	10	250	-	-	-	22
FUKUI	-	144	1	259	-	53	2	105	-	-	-	14
YAMANASHI	-	86	8	266	1	134	5	101	1	6	-	-
NAGANO	1	188	7	729	-	241	14	420	-	-	-	2
GIFU	-	250	17	898	-	82	-	86	-	1	-	-
SHIZUOKA	-	250	20	1252	-	78	12	109	-	-	-	2
AICHI	-	1176	20	1111	-	1093	16	864	-	-	-	10
MIE	-	232	24	926	-	84	11	170	-	-	-	2
SHIGA	-	162	8	263	-	62	61	1380	-	-	-	-
KYOTO	-	695	18	1235	-	1063	4	286	-	-	-	15
OSAKA	-	2428	15	1179	-	6377	-	97	-	1	-	70
HYOGO	-	2160	35	2240	-	2590	19	594	-	2	-	3
NARA	-	405	11	442	-	178	10	210	-	-	-	-
WAKAYAMA	-	224	16	647	-	81	9	230	-	2	-	6
TOTTORI	-	54	5	317	-	45	9	254	-	3	-	6
SHIMANE	-	125	20	563	-	21	5	256	-	9	-	17
OKAYAMA	-	226	28	1014	-	129	11	143	2	8	-	23
HIROSHIMA	-	394	32	1413	-	60	15	917	1	12	-	167
YAMAGUCHI	-	127	10	302	1	86	32	621	-	5	-	90
TOKUSHIMA	-	172	5	705	-	17	26	944	-	6	-	-
KAGAWA	-	289	10	427	-	67	18	867	-	4	-	1
EHIME	-	160	8	411	-	32	9	943	-	10	-	17
KOCHI	-	184	22	633	-	43	15	256	-	9	-	-
FUKUOKA	-	415	16	1127	-	468	104	1252	-	6	1	184
SAGA	-	52	3	246	-	41	80	1648	-	-	-	87
NAGASAKI	-	321	9	379	-	439	14	372	-	3	-	164
KUMAMOTO	-	81	-	189	-	10	9	339	4	11	-	25
OITA	-	83	10	191	-	34	20	913	-	-	-	6
MIYAZAKI	-	41	4	417	-	21	9	371	-	6	-	16
KAGOSHIMA	-	159	-	175	-	51	1	583	-	3	1	65
TOTALS	2	17658	855	37269	12	30738	715	21773	8	157	2	1198
RATE **		0.14		60.79		0.85 0.84		50.84		0.57		0.14

**Rate /100,000/ annum for current week.

Plague: 0

Prepared by: Public Health & Welfare
Section, GHQ, SCAP, (from
Japanese sources).

WEEKLY SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN
WEEK ENDING 28 SEPTEMBER 1946

(C) Current cases, plus delayed reports.

(T) Total cases for year to date.

(T)* Total cases from 2 June 1946.

PREFECTURE	DIPHTHERIA		DYSENTERY		EPIDEMIC MENINGITIS		PARATYPHOID		SCARLET FEVER	
	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)
HOKKAIDO	79	2,518	213	1,216	5	201	20	677	8	258
AOMORI	14	592	68	303	-	58	6	134	1	13
IWATE	17	527	731	3,833	-	41	7	94	-	6
MIYAGI	5	692	232	2,617	-	62	8	221	-	41
AKITA	28	670	243	870	-	22	1	35	3	30
YAMAGATA	25	861	498	2,842	1	40	10	338	2	23
FUKUSHIMA	27	885	642	6,426	-	57	7	250	2	44
IBARAKI	10	350	74	2,668	-	29	7	180	-	16
TOCHIGI	17	670	65	2,265	-	11	13	246	2	13
GUMMA	3	199	42	3,313	-	19	1	92	-	34
SAITAMA	16	713	26	1,855	-	10	6	158	1	47
CHIBA	15	676	16	1,036	-	24	4	120	-	75
TOKYO	41	1,705	73	1,552	2	112	14	527	4	251
KANAGAWA	19	812	30	1,460	3	32	7	249	3	54
NIIGATA	26	998	311	1,829	1	23	7	260	1	17
TOYAMA	18	343	20	287	-	3	3	86	-	2
ISHIKAWA	5	714	10	128	-	-	6	54	1	4
FUKUI	2	265	18	206	-	2	2	43	-	1
YAMANASHI	7	133	34	1,172	2	20	-	77	-	7
NAGANO	14	548	59	1,937	-	9	6	272	-	58
GIFU	6	374	48	787	-	10	6	149	-	9
SHIZUOKA	20	1,024	95	2,556	1	31	5	378	1	51
AICHI	19	1,438	68	1,654	1	10	9	192	-	49
MIE	27	910	12	373	-	21	5	115	-	9
SHIGA	7	483	32	280	1	9	-	25	1	28
KYOTO	7	793	51	784	1	39	3	151	3	87
OSAKA	14	843	28	671	2	35	3	147	-	42
HYOGO	23	1,246	117	1,139	-	19	2	221	-	35
NARA	5	352	7	194	-	1	3	46	-	8
WAKAYAMA	9	472	7	282	-	1	2	76	-	15
TOTTORI	6	300	35	590	-	9	4	63	-	7
SHIMANE	29	620	45	570	-	6	2	110	-	5
OKAYAMA	16	752	49	815	-	5	-	31	-	22
HIROSHIMA	19	961	77	1,280	1	17	5	194	-	12
YAMAGUCHI	37	1,484	58	924	-	29	4	72	3	21
TOKUSHIMA	14	487	35	1,230	-	15	-	44	-	7
KAGAWA	14	689	52	1,716	-	8	6	150	-	16
EHIME	24	855	60	1,681	-	5	2	51	-	15
KOCHI	20	1,051	24	1,083	-	6	-	41	2	22
FUKUOKA	55	2,119	103	2,005	1	78	3	264	-	30
SAGA	20	634	9	1,112	-	11	2	107	-	2
NAGASAKI	10	740	19	1,658	1	35	2	147	-	10
KUMAMOTO	6	286	20	1,831	-	13	-	36	-	-
OITA	6	747	22	906	-	4	-	41	-	2
MIYAZAKI	22	556	25	2,006	-	17	6	96	-	8
KAGOSHIMA	17	576	52	1,251	-	17	2	43	-	3
TOTALS	840	35,663	4,555	67,193	23	1,226	211	7,111	38	1,454
RATE**	59.72		323.86		1.64		15.00		2.70	

(OVER)

Continued

PREFECTURE	SMALLPOX		TYPHOID		EPIDEMIC TYPHUS		MALARIA		JAP. B ENCEPH- ALITIS		CHOLERA	
	(C)	(T)	(C)	(T)	(C)	(T)	(C)	(T)*	(C)	(T)*	(C)	(T)
HOKKAIDO	-	2,302	78	1,930	14	2,416	36	760	-	-	-	-
AOMORI	-	75	21	640	-	845	19	302	-	-	-	-
IWATE	-	49	30	512	-	120	13	422	-	2	-	-
MIYAGI	-	112	22	742	-	464	4	183	-	9	-	-
AKITA	-	65	9	365	-	217	13	601	-	3	-	-
YAMAGATA	-	113	17	720	-	529	12	401	-	1	-	-
FUKUSHIMA	-	230	52	1,665	-	284	13	162	-	9	-	6
IBARAKI	-	171	12	837	1	273	19	571	1	8	-	-
TOCHIGI	-	74	62	1,308	-	159	-	195	-	2	-	-
GUMMA	-	91	4	631	-	107	-	65	-	-	-	-
SAITAMA	-	206	22	1,066	-	702	3	83	-	2	-	1
CHIBA	-	216	29	1,078	1	334	8	197	-	1	-	33
TOKYO	-	1,819	59	1,826	-	9,495	35	1,230	-	7	-	12
KANAGAWA	-	426	19	1,373	-	876	6	368	-	3	-	29
NIIGATA	-	132	20	1,153	-	110	9	336	-	1	-	26
TOYAMA	-	178	23	739	-	39	5	151	-	2	-	77
ISHIKAWA	-	115	4	255	-	78	7	240	-	-	-	22
FUKUI	-	144	3	258	-	53	2	103	-	-	-	14
YAMANASHI	-	86	6	258	-	133	2	96	-	5	-	-
NAGANO	-	187	20	722	-	241	31	406	-	-	-	2
GIFU	-	250	22	881	-	82	1	86	-	1	-	-
SHIZUOKA	-	250	25	1,232	-	78	5	97	-	-	-	2
AICHI	-	1,176	32	1,091	-	1,093	35	848	-	-	-	10
MIE	-	232	26	902	-	84	9	159	-	-	-	2
SHIGA	-	162	8	255	-	62	79	1,319	-	-	-	-
KYOTO	1	695	24	1,217	-	1,063	13	282	-	-	-	15
OSAKA	-	2,428	11	1,164	-	6,377	-	97	-	1	-	70
HYOGO	-	2,160	43	2,205	-	2,590	33	575	-	2	-	3
NARA	-	405	6	431	1	178	2	200	-	-	-	-
WAKAYAMA	-	224	24	631	-	81	5	221	-	2	-	6
TOTTORI	-	54	6	312	-	45	3	345	-	3	-	6
SHIMANE	-	125	13	543	-	21	7	251	1	9	-	17
OKAYAMA	-	226	28	986	-	129	7	132	-	6	-	23
HIROSHIMA	-	394	42	1,381	-	60	30	902	3	11	-	167
YAMAGUCHI	-	127	4	292	-	85	4	589	2	5	-	90
TOKUSHIMA	-	172	6	700	-	17	22	918	-	6	-	-
KAGAWA	-	289	9	417	-	67	16	849	-	4	-	1
EHIME	-	160	9	403	-	32	20	834	-	10	-	17
KOCHI	-	184	17	611	1	43	27	241	1	9	-	-
FUKUOKA	-	415	14	1,111	-	468	71	1,148	-	6	7	183
SAGA	-	52	5	243	-	41	86	1,568	-	-	-	87
NAGASAKI	-	321	2	370	-	439	26	358	1	3	1	164
KUMAMOTO	-	81	5	189	-	10	16	330	-	7	-	25
OITA	-	83	10	181	-	34	39	893	-	-	-	6
MIYAZAKI	-	41	36	413	-	21	14	362	-	6	-	16
KAGOSHIMA	-	159	12	175	-	51	6	582	-	3	3	64
TOTALS	1	17,656	951	36,414	18	30,726	813	21,058	9	149	11	1,196
RATE**	.07		67.62		1.28		57.80		.63		.78	

** Rate /100,000/ annum for current week.

Plague: 0

Prepared by: Public Health & Welfare
Section, GHQ, SCAP, (from
Japanese sources).

SUMMARY REPORT OF COMMUNICABLE DISEASES IN JAPAN

FOR

FOUR WEEK PERIOD ENDING 28 SEPTEMBER 1946

(C) Cases

(R) Rate/100,000 annum.

PREFECTURE	DIPHTHERIA		DYSENTERY		EPIDEMIC MENINGITIS		PARATYPHOID		SCARLET FEVER	
	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)
HOKKAIDO	259	96.53	754	281.02	16	5.96	117	43.61	21	7.83
AOMORI	51	60.87	150	179.03	5	5.97	39	46.55	2	2.39
IWATE	60	64.08	2,595	2771.46	-	-	23	24.56	-	-
MIYAGI	46	40.89	1,529	1359.28	8	7.11	43	38.23	5	4.45
AKITA	31	88.05	593	644.59	3	3.26	5	5.44	8	8.70
YAMAGATA	88	88.34	2,227	2235.69	3	3.01	61	61.24	4	4.02
FUKUSHIMA	74	50.14	2,824	1913.26	-	-	59	39.97	6	4.07
IBARAKI	39	26.12	425	284.67	6	4.02	82	21.43	1	.67
TOCHIGI	61	52.74	422	364.86	-	-	47	40.64	3	2.59
GUMMA	13	11.09	334	284.80	-	-	14	11.94	-	-
SAITAMA	79	50.64	258	165.38	1	.64	22	14.10	5	3.21
CHIBA	67	43.38	202	130.77	1	.65	30	19.42	4	2.59
TOKYO	125	38.88	349	108.54	12	3.73	68	18.04	24	7.46
KANAGAWA	78	50.20	196	126.15	5	3.22	88	24.46	7	4.51
NIIGATA	72	40.23	934	521.83	2	1.12	57	31.85	2	1.12
TOYAMA	40	55.76	191	266.25	-	-	16	22.30	-	-
ISHIKAWA	30	44.46	51	75.58	-	-	11	16.30	1	1.48
FUKUI	26	48.59	115	314.94	-	-	8	14.95	-	-
YAMANASHI	17	27.73	229	373.50	4	6.52	19	30.99	2	3.26
NAGANO	97	62.18	552	353.83	2	1.28	75	48.08	3	1.28
GIFU	25	22.51	227	204.37	-	-	18	16.21	-	-
SHIZUOKA	85	48.89	455	261.72	1	.58	78	44.87	4	2.30
AICHI	72	32.06	333	148.28	1	.45	13	5.79	3	1.34
MIE	82	77.70	94	89.07	3	2.84	15	14.21	-	-
SHIGA	30	46.92	128	200.19	1	1.56	5	7.82	1	1.56
KYOTO	37	29.66	251	201.18	3	2.40	21	16.83	6	4.81
OSAKA	35	15.29	177	77.31	5	2.18	24	10.48	2	.67
HYOGO	101	46.46	474	218.04	-	-	16	7.36	2	.92
NARA	19	33.17	64	111.74	-	-	15	26.19	-	-
WAKAYAMA	26	36.14	67	93.13	-	-	9	12.51	2	2.78
TOTTORI	25	58.25	189	440.37	-	-	10	23.30	-	-
SHIMANE	76	116.28	223	341.19	1	1.53	12	18.36	-	-
OKAYAMA	58	49.00	310	261.92	1	.85	4	3.38	-	-
HIROSHIMA	54	36.92	470	321.34	1	.68	25	17.09	-	-
YAMAGUCHI	101	95.45	309	292.01	3	2.84	17	16.07	5	4.73
TOKUSHIMA	48	75.26	220	344.96	2	3.14	2	3.14	-	-
KAGAWA	52	77.48	440	655.60	-	-	44	65.56	3	4.47
EHIME	84	79.13	335	315.57	1	.94	5	4.71	3	2.83
KOCHI	78	127.06	173	221.82	1	1.63	14	22.81	3	4.89
FUKUOKA	193	86.33	506	226.33	5	2.24	11	4.92	1	.45
SAGA	64	97.09	56	84.95	-	-	7	10.62	-	-
NAGASAKI	78	71.51	196	179.69	2	1.83	12	11.00	1	.92
KUMAMOTO	21	16.73	198	153.74	-	-	3	2.39	-	-
OITA	89	100.75	154	174.33	-	-	11	12.45	-	-
MIYAZAKI	77	104.49	163	221.19	2	2.71	13	17.64	-	-
KAGOSHIMA	44	35.10	110	87.75	-	-	7	5.58	-	-
TOTALS	3,057	54.35	21,247	377.77	94	1.67	1,185	21.07	133	2.36

Continued - -

PREFECTURE	SMALLPOX		TYPHOID		EPIDEMIC TYPHUS		MALARIA		JAP. B ENCEPH- ALITIS		CHOLERA	
	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)	(C)	(R)
HOKKAIDO	1	.37	425	158.40	41	15.23	154	57.40	-	-	-	-
AOMORI	-	-	86	102.64	1	1.19	81	96.67	-	-	-	-
IWATE	-	-	68	72.62	-	-	46	49.13	-	-	-	-
MIYAGI	-	-	108	96.01	1	.89	21	18.67	3	2.67	-	-
AKITA	-	-	61	66.31	-	-	77	83.70	-	-	-	-
YAMAGATA	-	-	89	89.35	-	-	60	60.23	-	-	-	-
FUKUSHIMA	-	-	229	155.15	-	-	40	27.10	-	-	-	-
IBARAKI	-	-	116	77.70	6	4.02	146	97.80	4	2.63	-	-
TOCHIGI	-	-	159	137.47	-	-	13	11.24	1	.86	-	-
GUMMA	-	-	71	60.54	-	-	1	.85	-	-	-	-
SAITAMA	-	-	107	68.59	-	-	14	8.97	-	-	-	-
CHIBA	-	-	177	114.59	2	1.29	50	32.37	1	.65	-	-
TOKYO	1	.31	175	54.43	2	.62	268	83.35	-	-	-	-
KANAGAWA	-	-	158	101.69	2	1.29	65	41.33	1	.64	-	-
NIIGATA	1	.56	112	62.57	-	-	78	43.58	-	-	15	8.38
TOYAMA	1	1.39	116	161.70	-	-	15	20.91	-	-	-	-
ISHIKAWA	-	-	20	29.64	-	-	17	25.19	-	-	1	1.48
FUKUI	-	-	24	44.86	-	-	26	48.59	-	-	9	16.82
YAMANASHI	-	-	31	50.56	1	1.63	13	21.20	-	-	-	-
NAGANO	-	-	154	98.71	-	-	112	71.79	-	-	-	-
GIFU	1	.90	96	86.43	-	-	11	9.90	-	-	-	-
SHIZUOKA	-	-	137	78.80	-	-	22	12.65	-	-	-	-
AICHI	-	-	101	44.98	-	-	194	86.39	-	-	-	-
MIE	-	-	108	102.34	-	-	38	36.01	-	-	-	-
SHIGA	-	-	24	37.54	-	-	341	533.32	-	-	-	-
KYOTO	2	1.60	106	84.96	-	-	90	72.14	-	-	-	-
OSAKA	-	-	79	34.51	-	-	17	7.43	-	-	5	2.18
HYOGO	-	-	188	86.48	2	.92	135	62.10	-	-	-	-
NARA	-	-	55	96.03	1	1.75	85	148.41	-	-	-	-
WAKAYAMA	-	-	87	120.93	-	-	25	34.75	-	-	6	8.34
TOTTORI	1	2.33	21	48.93	-	-	51	118.83	-	-	-	-
SHIMANE	-	-	66	100.98	1	1.53	32	48.96	2	3.06	-	-
OKAYAMA	-	-	128	108.15	-	-	31	26.19	-	-	-	-
HIROSHIMA	1	.68	184	125.80	-	-	282	192.80	8	5.47	39	26.66
YAMAGUCHI	-	-	30	28.35	2	1.89	89	84.11	3	2.84	15	14.18
TOKUSHIMA	-	-	58	90.94	-	-	190	297.92	1	1.57	-	-
KAGAWA	-	-	50	74.50	1	1.49	116	172.84	1	1.49	-	-
EHIME	-	-	49	46.16	-	-	145	136.59	1	.94	-	-
KOCHI	-	-	92	149.87	2	3.26	81	131.95	3	4.89	-	-
FUKUOKA	-	-	77	34.44	-	-	330	147.61	-	-	15	6.71
SAGA	-	-	18	27.31	-	-	448	679.62	-	-	-	-
NAGASAKI	-	-	31	28.42	1	.92	103	94.43	1	.92	44	40.34
KUMAMOTO	-	-	15	11.95	1	.80	87	69.30	4	3.19	-	-
OITA	-	-	32	36.22	-	-	196	221.87	-	-	-	-
MIYAZAKI	-	-	66	89.56	-	-	66	89.56	1	1.36	1	1.36
KAGOSHIMA	-	-	35	27.92	-	-	39	31.11	-	-	56	44.67
TOTALS	9	.16	4,418	78.55	67	1.19	4,541	80.74	35	.62	206	3.66

No cases of Plague reported.

Prepared by: Public Health & Welfare
Section, GHQ, SCAP, (from
Japanese sources).

WEEKLY SUMMARY REPORT
OF
VENEREAL DISEASES IN JAPAN

WEEK ENDING 28 SEPTEMBER 1946

(C) Current cases plus delayed reports
(T) Total cases for year to date.

PREFECTURE	CHANCROID		GONORRHEA		SYPHILIS	
	(C)	(T)	(C)	(T)	(C)	(T)
HOKKAIDO	14	576	79	3066	24	1297
AOMORI	5	270	30	1069	23	486
IWATE	—	20	14	313	4	768
MIYAGI	2	203	25	1232	7	585
AKITA	4	106	17	833	12	407
YAMAGATA	3	61	23	767	8	604
FUKUSHIMA	10	396	57	2037	43	1586
IBARAKI	15	210	48	1282	103	1026
TOCHIGI	2	153	66	1001	18	354
GUMMA	3	154	42	1011	27	508
SAITAMA	5	279	32	1978	18	949
CHIBA	11	389	33	2364	35	908
TOKYO	45	688	129	3244	59	1654
KANAGAWA	22	1553	152	5165	123	2733
NIIGATA	11	222	72	1695	21	871
TOYAMA	9	116	57	1012	15	207
ISHIKAWA	21	413	77	1437	43	1432
FUKUI	10	120	33	443	24	299
YAMANASHI		102	8	644	7	255
NAGANO	4	121	12	1010	25	756
GIVU	10	256	33	899	7	390
SHIZUOKA	16	181	42	904	39	625
AICHI	63	1898	259	6849	152	2658
MIE	19	406	33	1209	23	628
SHIGA	29	415	52	956	22	372
KYOTO	36	1158	158	4471	78	1382
OSAKA	111	2088	284	7347	220	3874
HYOGO	35	716	137	3522	54	1902
NARA	26	382	35	803	16	366
WAKAYAMA	12	543	16	1467	20	705
TOTTORI	11	326	17	646	5	251
SHIMANE	9	141	22	564	23	806
OKAYAMA	19	380	60	1384	28	862
HIROSHIMA	16	428	156	2654	41	900
YAMAGUCHI	1	184	13	899	9	498
TOKUSHIMA	2	85	12	390	11	410
KAGAWA	22	447	31	966	18	648
EHIME	8	152	48	1766	37	1583
KOCHI	5	90	36	552	30	365
FUKUOKA	74	2310	268	2973	128	5479
SAGA	31	474	77	2713	114	3006
NAGASAKI	6	547	70	4235	63	2046
KUMAMOTO	2	108	44	1117	59	718
OITA	10	599	67	1891	42	1281
MIYAZAKI	—	72	10	386	14	554
KAGOSHIMA	4	76	79	1083	43	444
TOTALS	773	20,614	3065	89,249	1935	50,438

54.96

217.92

137.51

Prepared by: Public Health & Welfare
Section, GHQ, SCAP
(from Japanese sources).

Restricted

MONTHLY VITAL STATISTICS REPORT

Number of Births, Deaths, Stillbirths, Marriages and Divorces Reported
According to Prefecture, in September 1946

Area	Births	Deaths	Stillbirths	Marriages	Divorces
All Japan	193,526	117,513	7,379	61,102	11,639
Cities of 30,000 and over	56,603	32,667	2,506	16,136	3,289
All other places	136,923	84,846	4,873	44,966	8,350
Aichi	7,919	3,483	268	2,238	362
Akita	3,413	2,147	144	1,399	323
Aomori	3,184	1,709	113	928	195
Chiba	5,662	2,905	192	1,822	202
Ehime	3,900	1,895	102	1,266	281
Fukui	1,531	1,391	54	706	153
Fukuoka	8,612	5,275	357	2,443	442
Fukushima	4,586	2,998	185	1,457	344
Gifu	3,455	2,480	104	1,175	237
Gunma	4,367	2,173	186	1,119	170
Hiroshima	5,169	3,218	160	1,729	360
Hokkaido	10,723	5,363	367	2,834	378
Hyogo	6,761	4,098	272	1,937	403
Ibaraki	5,563	2,874	230	1,985	244
Ishikawa	2,492	1,483	91	1,020	161
Iwate	2,895	2,740	150	857	240
Kagawa	2,478	1,350	84	837	178
Kagoshima	4,598	3,624	135	1,401	347
Kanagawa	4,993	2,372	199	1,309	266
Kochi	2,243	1,275	63	873	196
Kumamoto	4,959	3,362	158	1,480	242
Kyoto	3,640	2,511	168	1,049	221
Mie	3,305	1,906	122	1,005	197
Miyagi	3,317	2,361	105	1,226	213
Miyazaki	2,870	1,385	100	741	188
Nagano	4,396	3,845	170	1,192	250
Nagasaki	4,794	2,960	163	1,512	304
Nara	1,671	1,653	93	573	142
Niigata	6,121	3,928	213	2,026	389
Oita	3,304	1,874	115	1,214	180
Okayama	3,815	2,819	168	1,351	307
Osaka	6,660	4,186	425	1,882	438
Saga	2,471	1,283	69	709	154
Saitama	5,613	2,673	231	1,569	176
Shiga	1,788	1,621	78	642	116
Shimane	2,302	1,518	73	832	194
Shizuoka	5,661	3,092	198	1,788	443
Tochigi	4,063	1,970	164	1,208	169
Tokushima	2,089	1,398	104	729	141
Tokyo-To	11,087	5,588	426	3,091	495
Tottori	1,363	1,052	61	562	122
Toyama	2,496	1,606	71	1,536	266
Wakayama	2,094	1,770	66	726	190
Yamagata	3,307	2,571	143	1,189	239
Yamaguchi	3,989	2,653	149	1,389	271
Yamanashi	1,807	1,072	90	546	110

Source - Japanese Government

Restricted

SECTION X

MEMORANDUM TO THE IMPERIAL JAPANESE GOVERNMENT

NONE

Crawford F. Sams

CRAWFORD F. SAMS
Colonel, Medical Corps
Chief, Public Health & Welfare Section.

2 Incls:

- #1- Communicable Disease Report for week ending 12 October 1946.
- #2- Venereal Disease Report for week ending 5 October 1946.

Restricted